

POPULAR AMERICAN PLANT-NAMES. VI.

FANNIE D. BERGEN.

LAURACEÆ.

*Umbellularia Californica*, Nutt., pepper-wood, Cal.

THYMELÆCEÆ.

*Dirca palustris*, L., Indian wickape, West.  
wickopy, Hartford, Me.

ELÆAGNACEÆ.

*Shepherdia argentea*, Pursh, buffalo berry, Nebr.

EUPHORBIACEÆ.

*Euphorbia corollata*, L., milkweed, Madison, Wis.

*Euphorbia Cyparissias*, L., milkweed, Vermont.  
graveyard moss, Ind.

*Euphorbia hypericifolia*, and *E. maculata*, L., corn-pusley, Southold,  
L. I.

*Euphorbia maculata*, L., French pursley, Sulphur Grove, Ohio.

*Euphorbia marginata*, Pursh, snow-on-the mountain, Sulphur Grove,  
Ohio; N. Dak.

milkweed, ghost-weed, snow-on-the-  
mountain, Waco, Tex.

*Jatropha stimulosa*, Michx., bull nettle, South.

*Ricinus communis*, L., castor-bean, Sulphur Grove, Ohio.

*Simmondsia Californica*, Nutt., pig-nut, Arizona.

*Tragia nepetæfolia*, Cav., stinging nettle, Southwestern Mo.

URTICACEÆ.

*Laportea Canadensis*, Gaudich, wood nettle, Southwestern Mo.

*Maclura aurantiaca*, Nutt., Osage orange, hedge-tree, "bois d'arc,"  
Southwestern Mo.

*Pilea pumila*, Gray, water weed, Sulphur Grove, Ohio.

*Ulmus Americana*, L., red elm, white elm, Southwestern Mo.

*Ulmus fulve*, Michx., slippery elm, white elm, Southwestern Mo.

JUGLANDACEÆ.

*Carya alba*, Nutt., walnut, New England.

black hickory, Southwestern Mo.

*Carya microcarpa*, Nutt., black hickory, Sulphur Grove, Ohio.

*Carya porcina*, Nutt., spignut,<sup>1</sup> Ind.

<sup>1</sup> A corruption of pignut.

*Carya sulcata*, Nutt., shell-bark hickory, Southwestern Mo.

*Carya tomentosa*, Nutt., white hickory, Southwestern Mo.  
pull-nut, mocker-nut, Sulphur Grove, Ohio.

*Juglans cinerea*, L., oil-nut tree, West.  
white walnut, Southwestern Mo.

## CUPULIFERÆ.

*Betula balsamifera*, sycamore, black poplar, West.

*Carpinus Caroliniana*, Walt., swamp beech, hornbeam, Sulphur Grove, Ohio.

*Fagus ferruginea*, Ait., white beech, red beech, black beech, West.

*Quercus coccinea*, Wang., and var. *tinctoria*, Gray, black oak, Southwestern Mo.

*Quercus imbricaria*, Michx., swamp oak, pin oak, Southwestern Mo.

*Quercus rubra*, L., red oak, Spanish oak (lowland variety), Southwestern Mo.

## SALICACEÆ.

*Salix cordata*, Muhl., var. *vestita*, And., diamond willow, Burnside, S. Dak.

*Salix*, sp., with catkins very prominent, pussy willow, Sulphur Grove, Ohio.

## EMPETRACEÆ.

*Empetrum nigrum*, L., squirt plum, Rumford, Me.

## CONIFERÆ.

*Abies alba*, Link, cat spruce, Andover, Me.

*Juniperus communis*, L., juniper, West.

*Juniperus Sabina*, L., juniper, West.

*Juniperus Virginiana*, L., juniper, West.

*Larix Americana*, Michx., juniper, West.

cypress, Oxford County, Me.

*Pinus Banksiana*, Lambert, shrub pine, West.

*Pinus resinosa*, Ait., Norway pine, hard pine, Oxford County, Me.

*Pinus strobus*, L., yellow pine, West.

*Torreya Californica*, Torr., California nutmeg tree, Cal.

## ORCHIDACEÆ.

*Arethusa bulbosa*, L., swamp pink, meadow pink, Mass.

*Cypripedium acaule*, Ait., valerian, nerve root, Paris, Me.

Indian slipper, Oxford County, Me.

*Cypripedium spectabile*, Swartz, shepherd's purse, Lepreau, N. B.

*Goodyera repens*, R. Br., adder's tongue, Paris, Me.

*Habenaria psycodes*, Gray, and *Habenaria fimbriata*, R. Br., wild hyacinth, Woodstock, Me.

*Spiranthes cernua*, Richard, hens' toes, Paris, Me.



- Veratrum viride*, Ait., Indian poke, Oxford County, Me.  
*Xyrophyllum setifolium*, Michx., turkey-beard, N. J.  
*Yucca filamentosa*, L., Adam's needle and thread, Harding's "With the Wild Flowers."  
*Yucca gloriosa*, L., Roman candle, the Lord's candlestick, So. Cal.

## PONTEDERIACEÆ.

- Pontederia cordata*, L., moose-ear, Grand Lake, N. B.

## COMMELINACEÆ.

- Tradescantia crassifolia* (green), Jacob's ladder, Wandering Jew, Sulphur Grove, Ohio.  
 (striped), Joseph's coat, Sulphur Grove, Ohio.  
*Tradescantia*, sp., in greenhouses, small white flowers pointed like corn, corn lily, Sulphur Grove, Ohio.  
*Tradescantia*, sp., Indian paint,<sup>1</sup> Mineral Point, Wis.

## ARACEÆ.

- Arisæma triphyllum*, Torr., wake-robin, West.  
 bog onion, Rumford, Me.  
 memory root, Rutland, Mass.  
*Calla palustris*, L., water arum, West.

## ALISMACEÆ.

- Sagittaria variabilis*, Engelm., water lily, Southwestern Mo.  
 arrow-head, swan root,<sup>2</sup> Cal.

## CYPERACEÆ.

- Cyperaceæ* (all grass-like species), ornamental grass, Sulphur Grove, Ohio.  
*Scirpus lacustris*, L., cat-tail flag,<sup>3</sup> Cal.

## GRAMINEÆ.

- Agropyrum repens*, L., witch grass, Oxford and York counties, Me.  
*Andropogon furcatus*, Muhl., and related species, blue-stem grass, Southwestern Mo.  
*Cenchrus tribuloides*, L., sand spur, Fla.  
 sand bar, Waco, Tex.  
*Danthonia spicata*, Beauv., witch grass, Oxford and York counties, Me.

<sup>1</sup> The juice said to irritate the skin and make it red.

<sup>2</sup> Used as food by Indians.

<sup>3</sup> Used as food by Indians.

- Panicum capillare*, L., tickle grass, Sulphur Grove, Ohio.  
*Panicum virgatum*, L., switch grass,<sup>1</sup> Central Neb.  
*Setaria glauca* and *viridis*, Beauv., barn grass, Oxford County, Me.  
*Sorghum*, sp., cane, sugar cane, Sulphur Grove, Ohio.  
*Sporobolus Buckleyi*, Vasey, crawly grass,<sup>2</sup> tickle grass, Waco, Tex.  
*Sporobolus serotinus*, Gray, blue ruin, Oxford County, Me.  
*Triticum repens*, twitch grass, dog grass, Oxford County, Me.  
*Zea mays*, L. (yellow striped with red), bloody butcher, Sulphur Grove, Ohio.  
 (hard grains without dents), flint corn, Sulphur Grove, Ohio.

## EQUISETACEÆ.

- Equisetum hiemale*, L., gun-bright,<sup>3</sup> Penobscot County, Me.  
 snake weed, Jones and Delaware counties, Iowa.

## FILICES.

- Aspidium Noveboracense*, Swartz, bear's paw, Plattsburg, N. Y.  
*Cystopteris*, sp., bladder fern, N. Y.  
*Onoclea sensibilis*, L., polypod brakes,<sup>4</sup> Oxford County, Me.  
 sugar brake, Penobscot County, Me.  
*Polypodium* (a Florida species), resurrection fern,<sup>5</sup> Fla.  
*Pteris aquilina*, L., poor man's soap,<sup>6</sup> Ala.  
*Woodwardia*, sp., chain fern, N. Y.

## OPHIOGLOSSACEÆ.

- Botrychium Virginianum*, Swartz, indicator,<sup>7</sup> Jackson, West Va.

## LYCOPODIACEÆ.

- Lycopodium clavatum*, L., stag-horn evergreen, Concord, Mass.  
*Lycopodium complanatum*, L., trailing Christmas Green, West Va.  
 trailing, running, or creeping vine,  
 Ferrisburgh, Vt.  
 evergreen, Oxford County, Me.  
*Lycopodium*, sp., fox-tail, St. Andrews, N. B.

<sup>1</sup> Also called "wild red-top" by the farmers.

<sup>2</sup> Very troublesome to the mower, eluding the scythe.

<sup>3</sup> Said to have been used by the Indians for polishing their guns.

<sup>4</sup> It would be an interesting investigation to trace out the origin of this application of a name evidently derived from *Polypodium*.

<sup>5</sup> From its habit of unrolling upon being wet with rain.

<sup>6</sup> Because it will make a lather with water.

<sup>7</sup> Name derived from the fact that its growth is thought to indicate the presence of ginseng.

## MUSCINEÆ.

*Polytrichum commune*, bear's grass, Penobscot County, Me.  
bird's wheat, Kennebec valley, Me.

## FUNGI.

*Boletus*, sp., cow mushroom, N. H.  
*Exobasidium*, sp., May apple, N. J.  
*Phallus*, sp., carrion flower, Mass.

## ALGÆ.

*Spirogyra*, sp., frog slime, N. H.  
*Ulva latissima*, glit, Mace's Bay, N. B.

CAMBRIDGE, MASS.

NOTE.—The foregoing papers are reprinted, at the request of the author, from plates kindly furnished by the editor of the *Journal of American Folk-Lore*. Their original publication was in that journal, 10:49-54, 143-148.—EDS.